



ARES

New colours in multiple formats

A R E S

n e w c o l o u r s



01

A R E S W H I T E

→ 10



02

A R E S W A R M B E I G E

→ 11



03

A R E S M O C C A

→ 12



04

A R E S B R O W N

→ 13

A R E S



05

ARES BEIGE

→ 14



06

ARES LIGHT GREY

→ 15



07

ARES GREY

→ 16



08

ARES GRAPHITE

→ 17

A R E S



8 TRENDY COLOURS INCLUDING 4 NEW VERSIONS

in neutral earth tones - which provide wide range of use.




UNIVERSAL DESIGN FOR DEMANDING CUSTOMERS

timeless design at a good price



SAFETY OF USE

with R10B non-slip rating



MULTI -FORMATS

Formats which provide an optimum match to diverse projects.



HIGH-PERFORMANCE GLAZED GRES

frost-resistant, abrasion resistance rating IV, resistant to acids and alkalis



CUSTOMER TIPS ON WWW.OPOCZNO.EU:

- Interior designs
- Packshots
- Architect resources
- Specifications
- Product data sheets and certificates
- Product colour and design decks


A R E S

The Ares Collection draws upon the latest design trends with its timeless, **neutral earth tones**. The new arrivals in the collection include striking colour tones: white, warm beige, mocha, and brown. The palette of eight colours unlocks a great variety of applications. The fine **concrete texture** on the mat-fished tiles produces a sophisticated and subdued effect indoors. High aesthetic value, a texture pleasant to touch and easy to clean, and an **exceptionally high non-slip rating** with frost resistance and high abrasion resistance all come with this product. It is the best choice for all spaces where high functionality and safety come first. The optimum match for the project requirements is ensured by the **multiple collection size formats**, a selection of several sizes of tiles, step treads, skirting tiles, and mosaic tiles.






new










new


ARES | WHITE




ARES white rect
59,8×59,8
OP708-100-1



* **ARES** white
29,8×29,8
OP708-105-1



ARES white
mosaic rect
29,8×29,8
OD708-093



ARES white rect
29,8×59,8
OP708-099-1



ARES white steptread rect
29,8×59,8
OD708-114



* **ARES** white
steptread
29,8×29,8
OD708-116




ARES white skirting rect
7,2×59,8
OD708-117



ARES white skirting rect
7,2×29,8
OD708-130

* non-rectified tile

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class



rectified tiles

new

ARES


| WARM BEIGE




ARES warm beige rect
59,8×59,8
OP708-097-1



* **ARES** warm beige
29,8×29,8
OP708-102-1



ARES warm beige
mosaic rect
29,8×29,8
OD708-087



ARES warm beige rect
29,8×59,8
OP708-096-1



ARES warm beige step tread rect
29,8×59,8
OD708-118



* **ARES** warm beige
step tread
29,8×29,8
OD708-120




ARES warm beige skirting rect
7,2×59,8
OD708-121



ARES warm beige skirting rect
7,2×29,8
OD708-131

* non-rectified tile

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class




rectified tiles

new


ARES | MOCCA




ARES mocca rect
59,8×59,8
OP708-098-1



* **ARES** mocca
29,8×29,8
OP708-103-1



ARES mocca
mosaic rect
29,8×29,8
OD708-090



ARES mocca rect
29,8×59,8
OP708-107-1



ARES mocca steptread rect
29,8×59,8
OD708-126



* **ARES** mocca
steptread
29,8×29,8
OD708-128




ARES mocca skirting rect
7,2×59,8
OD708-129



ARES mocca skirting rect
7,2×29,8
OD708-132

* non-rectified tile

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class



rectified tiles


new

ARES


| BROWN




ARES brown rect
59,8×59,8
OP708-095-1



* **ARES** brown
29,8×29,8
OP708-108-1



ARES brown
mosaic rect
29,8×29,8
OD708-084




ARES brown rect
29,8×59,8
OP708-094-1



ARES brown steptread rect
29,8×59,8
OD708-123



* **ARES** brown
steptread
29,8×29,8
OD708-124




ARES brown skirting rect
7,2×59,8
OD708-125



ARES brown skirting rect
7,2×29,8
OD708-122

* non-rectified tile

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class



rectified tiles


ARES | BEIGE




ARES beige rect
59,8 × 59,8
OP708-006-1



* **ARES** beige
29,8×29,8
OP708-001-1



ARES beige
mosaic rect
29,8×29,8
MD587-008



ARES beige rect
29,8×59,8
OP708-005-1



ARES beige steptread rect
29,8×59,8
OD708-022



* **ARES** beige
steptread
29,8×29,8
OD708-034




ARES beige skirting rect
7,2×59,8
OD708-025



ARES beige skirting rect
7,2×29,8
OD708-038

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class



rectified tiles

* non-rectified tile


ARES | LIGHT GREY




ARES light grey rect
59,8 × 59,8
OP708-011-1



* **ARES** light grey
29,8×29,8
OP708-002-1



ARES light grey
mosaic rect
29,8×29,8
MD587-007



ARES light grey matt rect
29,8×59,8
OP708-010-1

* **ARES** light grey
29,8×59,8
MT587-004-1



ARES light grey steptread rect
29,8×59,8
OD708-021

* **ARES** light grey steptread
29,8×59,8
OD708-032



* **ARES** light grey
steptread
29,8×29,8
OD708-033




ARES light grey skirting rect
7,2×59,8
OD708-031



ARES light grey skirting rect
7,2×29,8
OD708-037

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class




rectified tiles

* non-rectified tile


ARES | GREY




ARES grey rect
59,8 × 59,8
OP708-009-1



* **ARES** grey
29,8×29,8
OP708-003-1



ARES grey
mosaic rect
29,8×29,8
MD587-005



ARES grey rect
29,8×59,8
OP708-008-1

* **ARES** grey
29,8×59,8
MT587-001-1



ARES grey steptread rect
29,8×59,8
OD708-023

* **ARES** grey steptread
29,8×59,8
OD708-030



* **ARES** grey
steptread
29,8×29,8
OD708-035




ARES grey skirting rect
7,2×59,8
OD708-029



ARES grey skirting rect
7,2×29,8
OD708-039

* non-rectified tile

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class



rectified tiles



tiles with coloured body


ARES | GRAPHITE




ARES graphite rect
59,8 × 59,8
OP708-020-1



* **ARES** graphite
29,8×29,8
OP708-004-1



ARES graphite
mosaic rect
29,8×29,8
MD587-006




ARES graphite rect
29,8×59,8
OP708-007-1

* **ARES** graphite
29,8×59,8
MT587-003-1



ARES graphite steptread rect
29,8×59,8
OD708-024

* **ARES** graphite steptread
29,8×59,8
OD708-028



* **ARES** graphite
steptread
29,8×29,8
OD708-036




ARES graphite skirting rect
7,2×59,8
OD708-027



ARES graphite skirting rect
7,2×29,8
OD708-040

* non-rectified tile

The variety of tile designs and patterns within a single collection produces a natural finish



APPLICATIONS:

WALL TILES AND FLOOR TILES
EXTERIORS AND INTERIORS



stain resistance



matt tiles



frost resistance



tonal tiles



abrasion resistance



suitable for floor heating



non-slip class



rectified tiles



tiles with coloured body

SPECIFICATION



cm



mm



rectification



pcs.



m²



kg



m²





kg

ARES WHITE, WARM BEIGE, BEIGE, MOCCA, BROWN, LIGHT GREY, GREY, GRAPHITE								
base tile	59,8 × 59,8	8	yes	3	1,07	20,30	42,80	835
	29,8 × 59,8	8	yes	7	1,25	23,70	60,00	1155
			no	7	1,25	23,70	50,00	930
	29,8 × 29,8	8	no	15	1,33	23,60	58,52	1065
mosaic	29,8 × 29,8	8	yes	15	1,33	25,70	31,97	650
steptread	29,8 × 59,8	8	yes	8	1,43	26,00	45,62	840
			no	8	1,43	26,00	45,62	840
	29,8 × 29,8	8	no	15	1,33	23,60	55,95	1018
skirting	7,2 × 59,8	8	yes	14	0,60	11,00	28,93	545
	7,2 × 29,8	8	yes	32	0,69	13,00	32,96	644








MARKETING SUPPORT



INTERIOR RENDERING



PRODUCT PACKSHOTS



TILES SAMPLE

